



**SAFETY DATA SHEET**  
ALLOY WHEEL CLEAN

Page 1

Issued: 20/03/2003

Revision No: 5

Comma Oil & Chemicals Ltd.

Lower Range Road

Gravesend

Kent

DA12 2QX

Tel: +44 01474 564311

Fax: +44 01474 333000

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

**Product name:** ALLOY WHEEL CLEAN

**Product code:** AWC750

**Use / description of product:** Harmful. Liquid.

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

**Ingredient 1:** MINERAL ACID SALT OF AN ORGANIC AMIDE 30-60%

[Xn] R22; [Xi] R38; [Xi] R41;

**Ingredient 2:** ALKYLOXYPOLYETHYLENEOXYETHANOL <10%

[Xi] R38; [Xi] R41;

**Ingredient 3:** PINK COLOUR <10%

[Xn] R22; [C] R34;

**Contains:** The above information refers only to ingredients that are hazardous.

**3. HAZARDS IDENTIFICATION**

**Main hazards:** Harmful if swallowed. Irritating to skin. Risk of serious damage to eyes.

**4. FIRST AID MEASURES (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur. There may be vomiting. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

**Inhalation:** Nausea and stomach pain may occur. There may be vomiting. Drowsiness or mental confusion may occur. There may be loss of consciousness.

**4. FIRST AID MEASURES (ACTION)**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. If conscious, give 1 pint of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

[cont...]

**SAFETY DATA SHEET**  
ALLOY WHEEL CLEAN

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Carbon dioxide.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

**7. HANDLING AND STORAGE**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Gloves (acid resistant).

**Eye protection:** Safety goggles.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** Pink

**Odour:** Barely perceptible odour

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Relative density:** Approx 1.10 @ 20 C

**pH:** Approx 0.7

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Materials to avoid:** Bases.

**Haz. decomp. products:** In combustion emits toxic fumes.

## ALLOY WHEEL CLEAN

**11. TOXICOLOGICAL INFORMATION****12. ECOLOGICAL INFORMATION****Persistence and degradability:** No data available.**Bioaccumulative potential:** No data available.**13. DISPOSAL CONSIDERATIONS****Waste disposal:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.**Disposal of packaging** Dispose of as normal industrial waste.**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID****UN no:** -**Shipping name:** NOT CLASSIFIED FOR TRANSPORT**IMDG / IMO****UN no:** -**IATA / ICAO****UN no:** -**15. REGULATORY INFORMATION****Hazard symbols:** Harmful.**Risk phrases:** R22: Harmful if swallowed.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

**Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S46: If swallowed, seek medical advice immediately and show this container or label.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. ADDITIONAL INFORMATION****Risk phrases used in s.2:** R22: Harmful if swallowed.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R34: Causes burns.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive

**SAFETY DATA SHEET**  
ALLOY WHEEL CLEAN

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.