



## SAFETY DATA SHEET

### OIL TREATMENT FOR PETROL ENGINES

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	OIL TREATMENT FOR PETROL ENGINES
APPLICATION	Fuel Additive
SUPPLIER	Clorox Car Care, Unit 16, Rassau Industrial Estate, Ebbw Vale, Gwent NP23 5SD, UK 44 (0) 1495 350234 44 (0) 1495 350234
EMERGENCY TELEPHONE	44 (0) 1495 350234

#### 2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS  
Proprietary non-hazardous product.

#### 3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

#### 4 FIRST-AID MEASURES

##### INHALATION

Move the exposed person to fresh air at once.

##### INGESTION

DO NOT INDUCE VOMITING! Drink plenty of water.

##### SKIN CONTACT

Wash skin thoroughly with soap and water.

##### EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### 5 FIRE-FIGHTING MEASURES

##### EXTINGUISHING MEDIA

Use: Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemicals.

##### SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours.

##### SPECIFIC HAZARDS

Fire creates: Oxides of: Carbon.

#### 6 ACCIDENTAL RELEASE MEASURES

##### SPILL CLEAN UP METHODS

Use appropriate containment to avoid environmental contamination. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities.

#### 7 HANDLING AND STORAGE

##### USAGE PRECAUTIONS

Provide good ventilation. Avoid spilling, skin and eye contact.

##### STORAGE PRECAUTIONS

Store below 100°C. Keep away from oxidising substances.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

## OIL TREATMENT FOR PETROL ENGINES



## ENGINEERING MEASURES

Well-ventilated area.

## HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

## EYE PROTECTION

Wear approved safety goggles.

## OTHER PROTECTION

Use barrier creams to prevent skin contact.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid Clear Viscous		
COLOUR	Brown		
ODOUR	Characteristic		
RELATIVE DENSITY	0.88 @ 20 °C	VAPOUR PRESSURE	< 1000 Pa @ 20 °C
FLASH POINT (°C)	190 CC (Closed cup).		

## 10 STABILITY AND REACTIVITY

## CONDITIONS TO AVOID

Avoid contact with strong oxidisers. Avoid overheating.

## HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Oxides of: Carbon.

## 11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 > 4000 mg/kg (oral rat)

## TOXICOLOGICAL INFORMATION

LD50 (skin, rabbit) > 4000 mg/kg.

## INHALATION

Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation.

## INGESTION

No specific health warnings noted.

## SKIN CONTACT

No specific health warnings noted.

## EYE CONTACT

No specific health warnings noted.

## 12 ECOLOGICAL INFORMATION

## MOBILITY

Absorbs on to soil and is not expected to be mobile.

## 13 DISPOSAL CONSIDERATIONS

## DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 15 REGULATORY INFORMATION

## RISK PHRASES

NC Not classified.

## SAFETY PHRASES

S2 Keep out of the reach of children

S46 If swallowed, seek medical advice immediately and show this container or label.

**OIL TREATMENT FOR PETROL ENGINES****16 OTHER INFORMATION**

## REVISION COMMENTS

Amendment to Safety Phrases, Section 15.

REVISION DATE 09-2005

REV. NO./REPL. SDS GENERATED 4 / 08-2004

**DISCLAIMER**

The information supplied here is accurate to the best knowledge and belief of Clorox Car Care, it is however, not intended as a warranty or representation, and should not be construed as such, for which Clorox Car Care assumes any legal responsibility. Any information or advice obtained from Clorox Car Care other than by means of this publication, and whether relating to Clorox Car Care's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Clorox Car Care when used instead of, or in conjunction with materials supplied by Clorox Car Care, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Clorox Car Care accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.